



# SAFETY DATA SHEET

Issue Date 01-Apr-2015

Revision Date 22-Mar-2015

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product identifier

**Product Name** FT EXTRA MERIT LAUNDRY B-1  
**Product Code** FPLEXMWLFC-XMR  
**Customer Code** FT 801

### Other means of identification

### Recommended use of the chemical and restrictions on use

**Recommended Use** Laundry Detergent  
**Uses advised against** Use only as stated on label.

### Details of the supplier of the safety data sheet

**Manufactured For / Distributed By**  
**Fortech® Products** a Formula Corp Brand  
4432 C ST NE  
Auburn, WA 98002  
Phone (800) 772-7005  
E-Mail sales@formulacorp.com

### Emergency telephone number

**24 Hour Emergency Phone Number** (800) 228-5635 X059

## 2. HAZARDS IDENTIFICATION

### Classification

|   |            |
|---|------------|
| Acute toxicity - Oral                     | Category 5 |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Skin corrosion/irritation                 | Category 1 |
| Serious eye damage/eye irritation         | Category 1 |

### Label elements

## Emergency Overview

## Danger

### **Hazard statements**

May be harmful if swallowed  
Harmful if inhaled  
Causes severe skin burns and eye damage



**Ingestion** Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately.

**Self-protection of the first aider** Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### **Most important symptoms and effects, both acute and delayed**

**Symptoms** Any additional important symptoms and effects are described in Section 11: Toxicology Information.

### **Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

**Suitable extinguishing media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **Specific hazards arising from the chemical**

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

**Protective equipment and precautions for firefighters** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

### **Environmental precautions**

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### **Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.  
**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Avoid creating dust. Dam up. After cleaning, flush away traces with water.

## **7. HANDLING AND STORAGE**

### **Precautions for safe handling**

**Advice on safe handling** Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

**Incompatible materials** Incompatible with strong acids and bases. Incompatible with oxidizing agents.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Chemical Name                   | ACGIH TLV | OSHA PEL  | NIOSH IDLH |
|---------------------------------|-----------|---|------------|
| Amorphous Silica<br>112926-00-8 | Yes       | (vacated) TWA: 6 mg/m <sup>3</sup><br>TWA: 20 mppcf<br>: (80)/(% SiO <sub>2</sub> ) mg/m <sup>3</sup> TWA | Yes        |

*NIOSH IDLH Immediately Dangerous to Life or Health*

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Appropriate engineering controls**

**Engineering Controls** Showers, Eyewash stations & Ventilation systems

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** No special technical protective measures are necessary.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene** When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

**Physical state** powder  
**Appearance** powder  
**Color** White  
**Odor** Sweet  
**Odor threshold** No Information available

| <u>Property</u>               | <u>Values</u>            | <u>Remarks • Method</u> |
|-------------------------------|--------------------------|-------------------------|
| pH                            | 12 -13 (1% solution)     |                         |
| Specific Gravity              | No Information available |                         |
| Viscosity                     | Not Applicable           |                         |
| Melting point/freezing point  | No Information available |                         |
| Flash point                   | None                     |                         |
| Boiling point / boiling range | No Information available |                         |
| Evaporation rate              | Not Applicable           |                         |
| Flammability (solid, gas)     |                          |                         |
| Flammability Limits in Air    |                          |                         |
| Upper flammability limit:     | No Information available |                         |
| Lower flammability limit:     | No Information available |                         |
| Vapor pressure                | No Information available |                         |
| Vapor density                 | No Information available |                         |
| Water solubility              | Soluble in water         |                         |
| Partition coefficient         | No Information available |                         |
| Autoignition temperature      | No Information available |                         |
| Decomposition temperature     | No Information available |                         |

**Other Information**

**Density Lbs/Gal** No Information available  
**VOC Content (%)** None

**10. STABILITY AND REACTIVITY**

**Reactivity**  
 No data available

**Stability** Stable under recommended storage conditions.  
**Possibility of Hazardous Reactions** None under normal processing.  
**Conditions to avoid** Exposure to air or moisture over prolonged periods.  
**Incompatible materials** Incompatible with strong acids and bases. Incompatible with oxidizing agents.  
**Hazardous Decomposition Products** Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure**

**Inhalation** Causes burns.  
**Eye contact** Corrosive to the eyes and may cause severe damage including blindness.  
**Skin Contact** The product causes burns of eyes, skin and mucous membranes.  
**Ingestion** Causes burns. May be harmful if swallowed.

| Chemical Name                    | Oral LD50            | Dermal LD50 | Inhalation LC50                      |
|----------------------------------|----------------------|-------------|--------------------------------------|
| Sodium Carbonate<br>497-19-8     | = 4090 mg/kg ( Rat ) | Yes         | = 2300 mg/m <sup>3</sup> ( Rat ) 2 h |
| Sodium Metasilicate<br>6834-92-0 | = 600 mg/kg ( Rat )  | Yes         | Yes                                  |

**Information on toxicological effects**

**Symptoms** No Information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Corrosivity** Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.  
**Sensitization** No Information available.  
**Germ cell mutagenicity** No Information available.  
**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name                   | ACGIH | IARC    | NTP | OSHA |
|---------------------------------|-------|---------|-----|------|
| Amorphous Silica<br>112926-00-8 | Yes   | Group 3 | Yes | Yes  |

*IARC (International Agency for Research on Cancer)  
 Not classifiable as a human carcinogen*

**Reproductive toxicity** No Information available.  
**STOT - single exposure** No Information available.  
**STOT - repeated exposure** No Information available.  
**Chronic toxicity** Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.  
**Aspiration hazard** No Information available.

**Numerical measures of toxicity - Product Information**

**Unknown Acute Toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

22.29% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name                        | Algae/aquatic plants           | Fish   | Crustacea                         |
|--------------------------------------|--------------------------------|--|-----------------------------------|
| Sodium Carbonate<br>497-19-8         | 242: 120 h Nitzschia mg/L EC50 | 310 - 1220: 96 h Pimephales promelas mg/L LC50 static 300: 96 h Lepomis macrochirus mg/L LC50 static | 265: 48 h Daphnia magna mg/L EC50 |
| Sodium Tripolyphosphate<br>7758-29-4 | Yes                            | 1650: 48 h Leuciscus idus mg/L LC50  | Yes                               |
| Sodium Metasilicate<br>6834-92-0     | Yes                            | 210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50              | 216: 96 h Daphnia magna mg/L EC50 |

**Persistence and degradability** No Information available.

**Bioaccumulation** No Information available.

**Other adverse effects** No Information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.  
**Contaminated packaging** Do not reuse container.

US EPA Waste Number D002

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name                | California Hazardous Waste Status |
|------------------------------|-----------------------------------|
| Sodium Carbonate<br>497-19-8 | Corrosive                         |

**14. TRANSPORT INFORMATION**

**Note:** The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

**U.S. Department of Transportation (USDOT)**

4x1 Gallon Case *Not regulated*

Pails & Drums (<119 Gallons) *Not regulated*

**15. REGULATORY INFORMATION**

**International Inventories**

TSCA *Complies* DSL/NDSL *Complies*

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

|                                   |     |
|-----------------------------------|-----|
| Acute health hazard               | Yes |
| Chronic Health Hazard             | Yes |
| Fire hazard                       | No  |
| Reactive Hazard                   | No  |
| Sudden release of pressure hazard | No  |

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

| Chemical Name                   | New Jersey | Massachusetts | Pennsylvania |
|---------------------------------|------------|---------------|--------------|
| Amorphous Silica<br>112926-00-8 | X          | X             | X            |
| Sodium Sulfate<br>7757-82-6     | -          | X             | X            |

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not Applicable

**Additional information** No Information available.

**16. OTHER INFORMATION**

HMIS

| Health hazards | Flammability | Physical hazards | Personal protection |
|----------------|--------------|------------------|---------------------|
| <b>3</b>       | <b>0</b>     | <b>0</b>         | <b>A</b>            |

**Prepared By** Regulatory Department  
**Issue Date** 01-Apr-2015  
**Revision Date** 22-Mar-2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*End of Safety Data Sheet*